

ATD-6568 2-Shelf Parts Cart Owner's Manual



Features:

- (2) adjustable shelves and support arms provide mobile parts storage
- (6) S-hooks
- (4) 4" polyurethane casters (2 locking)

Specifications:

- Dimensions: 47.25" x 41.7" x 30.7"
- Weight capacity per shelf: 99 lbs.

ASSEMBLY INSTRUCTIONS

Refer to parts drawing on page 5 for component descriptions

1) Slide wheel support bar (#8) through vertical bar (L) (#2) and secure with, (M8 x 50) bolt, washer and lock nut. Repeat for right side, using vertical bar (R) (#3).



2) Fasten casters (#13) into the wheel support bar (#8), placing the casters with locks on the long end of the wheel support bar. Repeat for both sides



3) Slide the lower cross tube (#7) into the assembled sections as shown below. Secure with (M8 x 50) bolts, washers and lock nuts.



4) Attach the upper cross tube (#1) to the top of the assembly and secure with (M8 x 50) bolts, washers and lock nuts.



5) Attached the mesh shelves (#6) to the lower side of the support arm with holes (#5) and secure with bolts (M8x40), and lock nuts.



6) Slide assembled mesh shelf assemblies over upright pins at your desired height.






7) Hang hooks (#14) from shelves or cross tubes





REPLACEMENT PARTS

Not all components of the parts cart are replacement items, but are illustrated as a convenient reference for position in the assembly sequence. When ordering parts, give model number, part number and description. Call your distributor for current pricing:



ITEM#	ORDERING PART#	PART DESCRIPTION	QTY
1	PRT6568-01	UPPER CROSS TUBE	1
2	PRT6568-02	VERTICAL BAR (L)	1
3	PRT6568-03	VERTICAL BAR (R)	1
4	PRT6568-04	SUPPORT ARM	2
5	PRT6568-05	SUPPORT ARM WITH HOLES	4
6	PRT6568-06	MESH SHELF	2
7	PRT6568-07	LOWER CROSS TUBE	1

ITEM#	ORDERING PART#	PART DESCRIPTION	QTY
8	PRT6568-08	WHEEL SUPPORT BAR	2
9	PRT6568-HK	BOLT (M8x40)	12
10	PRT6568-HK	WASHER (M8)	40
11	PRT6568-HK	LOCK NUT (M8)	20
12	PRT6568-HK	BOLT (M8x50)	8
13	PRT6568-13	CASTER (SET OF 4)	1
14	PRT6568-14	HOOK	6

PRT6568-HK - Hardware kit includes #9, #10, #11, & #12



THIS WARRANTY AND CONFIRMED RECEIPT(S) SHOULD BE RETAINED BY THE CUSTOMER AT ALL TIMES