

ATD-8695 XL C-FRAME BALL JOINT PRESS Owner's Manual



Features:

- Extra-large ball joint press for maximum clearance
- Facilitates easier use of tall and stacked adapter plates
- Will work with ATD and other ball joint removal and installation adapters
- Kit includes both long and short drive screws for shorter overall working length when desired
- Includes a notched foot to allow pressing out of ball joints without removal of top mounted grease fittings
- 9.1" throat, 11.9" length

Contents:

- (1) C-clamp
- (1) long drive screw
- (1) short drive screw
- (1) removal adapter
- (1) install adapter

WARNING: TO HELP PREVENT PERSONAL INJURY:

- Always wear ANSI approved goggles when using this product. Normal use of this product is likely
 to expose the user to dust and/or microscopic particles containing chemicals known to the State of
 California to cause cancer, birth defects or other reproductive harm. Always wear appropriate safety
 equipment and clothing when using this product.
- Study, understand, and follow all instructions provided with this product.
- Before repairing vehicle, block the wheels to prevent the vehicle from moving.
- Check the final alignment of the C-frame press and all tooling with components before exerting pressure to remove or replace a ball joint.

Parts Breakdown:



ITEM#	ORDERING PART#	PART DESCRIPTION
1	PRT8695-01	LARGE C-FRAME
2	PRT8695-02	SCREW
3	PRT8695-03	SHORT SCREW
4	PRT8695-04	REMOVAL ADAPTER
5	PRT8695-05	INSTALL ADAPTER
N/A	PRT8695-CASE	BLOW MOLD CASE



THIS WARRANTY AND CONFIRMED RECEIPT(S) SHOULD BE <u>RETAINED BY THE CUSTOMER</u> AT ALL TIMES