


# PAIN, BODY & EQUIPMENT



Since 1977, ATD Tools, Inc. has focused on providing professional automotive tools and equipment at competitive prices. After over forty years, we are still committed to providing the quality tools you need at a price you can afford.

Our tools and equipment are quality control tested at the manufacturer, by independent labs and in the field to ensure they meet the performance and durability professional mechanics demand today and will continue to demand for years to come.

<b>Paint Spray Guns</b> .....	<b>3, 4</b>	<b>Work Stands</b> .....	<b>10-12</b>
<b>Spray Gun Accessories</b> .....	<b>4-7</b>	<b>Dent Pullers</b> .....	<b>13</b>
<b>Heat Guns</b> .....	<b>7</b>	<b>Body Tools</b> .....	<b>14, 15</b>
<b>Masking Machines</b> .....	<b>8</b>	<b>Trim Tools</b> .....	<b>15</b>
<b>Rivet Nut Setting Kits</b> .....	<b>9</b>	<b>Surface Prep Discs</b> .....	<b>16</b>
<b>Air Riveters</b> .....	<b>9</b>	<b>Hand Files &amp; Sanders</b> .....	<b>17</b>
<b>Hand Riveters</b> .....	<b>10</b>	<b>Paint Spray Booths</b> .....	<b>17, 18</b>
<b>Riveter Assortments</b> .....	<b>10</b>		



**Visit us online at  
www.atdtools.com**

to view the full line  
of PBE products available.

A PDF version of this catalog  
along with other informational PDF  
files are available online under  
the literature tab.

## 9-PC. HVLP SPRAY GUN SET

ATD-6900

**Features:**

- Guns have stainless steel needle and nozzle sets
- Knob for spray pattern adjustment
- Meets EPA NESHAP 6H rules for compliance
- Operating pressures of 15-45 psi
- Air consumption: 7.0 to 9.0 CFM
- Air inlet: 1/4"

**Set Contains:**

- (1) 1.8mm Primer Spray Gun (ATD-6902)
- (1) 1.0mm Touch-up Spray Gun (ATD-6903)
- (2) 1L Aluminum Cups (ATD-6900-09, ATD-6900-08 Lid for cup)
- (1) 125cc Stainless Steel Cup (ATD-6900-21, ATD-6900-20 Lid for cup)
- (1) Locking Pressure Regulator (0-180 psi, 0-12 BAR)
- (1) 1.4mm Topcoat Spray Gun (ATD-6901)
- (1) Paint Gun Filter
- Cleaning Kit:
  - (1) Spanner Wrench
  - (1) Hex Wrench
  - (1) Brush
  - (2) Filters



## 1.4MM HVLP TOP COAT SPRAY GUN

ATD-6901

**Features:**

- All-purpose spray paint gun
- Produces high quality paint atomization
- High volume, low pressure minimizes overspray
- Fully adjustable wide fan pattern control
- Net Weight with Cup: 1.8 lbs.
- 1L Aluminum Cup

**Specifications:**

- 1.4mm Nozzle
- Average Air Consumption: 6-9 CFM
- Maximum Pattern @ 8" Distance: 11"
- Meets EPA NESHAP 6H rules for compliance
- Operating Pressure: 29-50 psi
- Air Inlet Thread: 1/4" NPSM
- Required Compressor: 2 Hp



## 1.3MM HVLP TOP COAT SPRAY GUN

ATD-6906

**Features:**

- All-purpose spray paint gun
- Produces high quality paint atomization
- High volume, low pressure minimizes overspray
- Fully adjustable wide fan pattern control
- 1L Aluminum Cup

**Specifications:**

- 1.3mm Nozzle
- Average Air Consumption: 4.2-7.1 CFM
- Maximum Pattern @ 8" Distance: 9.8"
- Net Weight with Cup: 1.8 lbs.
- Meets EPA NESHAP 6H rules for compliance
- Operating Pressure: 29-50 psi
- Air Inlet Thread: 1/4" NPSM
- Required Compressor: 2 Hp



## 1.8MM HVLP PRIMER SPRAY GUN

ATD-6902

**Features:**

- All-purpose spray paint gun
- Produces high quality paint atomization
- High volume, low pressure minimizes overspray
- Fully adjustable wide fan pattern control
- 1L Aluminum Cup

**Specifications:**

- 1.8mm Nozzle
- Average Air Consumption: 6-9 CFM
- Maximum Pattern @ 8" Distance: 11"
- Net Weight with Cup: 1.8 lbs.
- Meets EPA NESHAP 6H rules for compliance
- Operating Pressure: 29-50 psi
- Air Inlet Thread: 1/4" NPSM
- Required Compressor: 2 Hp
- Cup Thread: M16 x 1.5



## 1.0MM MINI HVLP TOUCH-UP SPRAY GUN

ATD-6903

**Features:**

- Perfect for small jobs, detail and touch-up work
- Produces high quality paint atomization
- High volume, low pressure minimizes overspray
- Fully adjustable wide fan pattern control
- 125cc Stainless Steel Cup

**Specifications:**

- 1.0mm Nozzle
- Average Air Consumption: 6-9 CFM
- Maximum Pattern @ 8" Distance: 9"
- Cup Thread: M14 x 1.0
- Meets EPA NESHAP 6H rules for compliance
- Operating Pressure: 29 psi
- Air Inlet Thread: 1/4" NPSM
- Required Compressor: 1 Hp
- Net Weight with Cup: 0.75 lbs.



## PAINT SPRAY GUNS



### PRECISION AIR BRUSH KIT

ATD-6849

**Features:**

- Dual-Action Trigger Air/ Fluid Control
- Precision machined nozzle
- Ideal for automotive & motorcycle graphics, etc.

**Contains:**

- (1) Air brush
- (1) Holder
- (1) Adapter
- (2) 22cc glass jars
- 5 ft. Air hose
- Shipping Weight: 1.0 lbs.

### 1.8MM SUCTION-STYLE SPRAY GUN

ATD-6810

**Features:**

- All-purpose spray paint gun
- Easy to clean design
- 2-piece construction featuring exclusive air valve design
- Fully adjustable wide fan pattern control
- 1 qt. capacity dripless cup
- ATD-6810-36 complete lid assembly
- ATD-6810-49 cup and lid assembly

- Nozzle Size: 1.8mm
- Operating Pressure: 45 - 60 psi
- Average Air Consumption: 6 - 8.8 CFM
- Air Inlet Thread: 1/4" NPT
- Required Compressor: 3 Hp
- Maximum Pattern @ 8" Distance: 11"
- Shipping Weight: 2.42 lbs.



### 1-QUART DRIPLESS CUP ASSEMBLY

ATD-6822

**Features:**

- One quart capacity
- Drip-free design
- Can be used with ATD and most other suction feed spray guns with a 3/8" NPS(M) fluid inlet
- Spun aluminum construction



## SOLVENT SPRAY BOTTLES

### 1.0 LITER SOLVENT SPRAY BOTTLE

ATD-6552

**Features:**

- Capacity: 1 Liter (35 fl. oz.)
- High-Density Polyethylene materia provides greater durability
- Viton® FKM O-rings offer outstanding resistance to solvents including acid-based solutions
- Easy to read markings on the side with both fluid ounce and liter gradations

**Chemical Compatibility:**

- Sprayer resists many solvents and mineral oils. It features a high-quality Viton® seal making it ideal for brake cleaner solvents, tire cleaners, metal parts degreasers as well as many common industrial solvents including toluene, xylene, hexanes, kerosene, mineral turpentine, and more\*.
- Sprayer is NOT suitable for acetones, acetates, ammonias, keytones, lacquer thinners, etc.



## 5-GUN MAGNETIC PAINT GUN HOLDER

ATD-6807

**Features:**

- U-shaped hooks help hang five spray guns at a time with or without cups
- Vinyl-coated hooks prevent damage to paint guns
- Rack holds cups and accessories
- Easily installs in mixing room, paint booth or prep area
- Holder comes with screws and magnetic mounts for multiple hanging options



\*Paint gun not included



\*Paint gun not included

## 2-GUN MAGNETIC PAINT GUN HOLDER

ATD-6805

**Features:**

- Perfect for paint booths, mixing rooms, prep stations, etc.
- Designed to hold (2) gravity feed paint guns
- Magnetic design for portability
- Heavy-Duty steel construction with (6) powerful magnets




## 5-GUN MAGNETIC PAINT GUN HOLDER

ATD-6806

**Features:**

- U-shaped hooks help hang five spray guns at a time with or without cups
- Vinyl-coated hooks prevent damage to paint guns
- Rack holds cups and accessories
- Easily installs in mixing room, paint booth or prep area
- Holder comes with screws and magnetic mounts for multiple hanging options



## GRAVITY FEED SPRAY GUN HOLDER

ATD-6861

**Features:**

- Allows painter to fill gravity feed gun without assistance
- Also a convenient holder for paint gun between jobs
- Rugged metal construction
- 7.48" x 3.77" x 15.35"
- Shipping Weight: 2.0 lbs.

## .125 LITER PLASTIC CUP WITH LID

ATD-68541

**Features:**

- Replacement cup for touch-up gravity feed spray guns
- .125 Liter (125cc) capacity
- Cup Thread: M14 x 1.0
- Will not drip when spraying in any position
- Shipping Weight: 0.6 lbs.



## .6 LITER PLASTIC CUP WITH LID

ATD-6863

**Features:**

- Replacement cup for gravity feed spray guns
- 0.6 Liter capacity
- Cup Thread: M14 x 1.0
- Will not drip when spraying in any position



## 1.0 LITER ALUMINUM CUP WITH LID

ATD-6829

**Features:**

- Replacement aluminum cup with lid for gravity feed spray guns
- 1.0 Liter capacity
- Cup Thread: M14 x 1.0
- ATD-6839 Lids for ATD-6829 paint cup



## .6 LITER ALUMINUM CUP WITH LID

ATD-6838

**Features:**

- Replacement aluminum cup with lid for gravity feed spray guns
- 0.6 Liter capacity
- Cup Thread: M14 x 1.0



## PLASTIC LIDS FOR .6L ALUMINUM CUPS

ATD-6839

**Features:**

- 3 pack of plastic lids for aluminum paint cups



# SPRAY GUN ACCESSORIES



## LOCKING AIR REGULATOR

**ATD-6926**

**Kit includes:**

- Locking adjustment knob
- Pressure gauge
- 1/4" fittings
- Operating Temperature Range: 41° F to 140° F
- Adjustment Range: 0-150 psi
- Shipping Weight: 0.4 lbs.



## DIGITAL PRESSURE REGULATOR

**ATD-6825**

**Kit includes:**

- Ensures accurate measurement of air pressure to spray guns or other air tools up to 160 psi
- Reduces overspray, saving material
- Large LCD display is easy to read
- Automatic shut off conserves battery life and battery is replaceable
- 1/4" universal thread swivel nut fits most spray guns or 1/4" universal thread male air inlet fittings
- Impact-resistant aluminum housing for durability
- Solvent resistant based on normal usage



## MINI IN-LINE DISPOSABLE DESICCANT DRYER

**ATD-7820**

**Features:**

- Ideal for spray guns (point-of-use)
- 40 micron, porous bronze element removes fine dirt particles, as oil removing media removes oil vapor and desiccant beads absorb water vapor
- Attaches directly to spray gun or mini regulator located on spray gun
- Unit is bi-directional with 1/4" NPT
- Blue desiccant beads lower the dew point to -30°F and remove all water vapor. Bead color turns pink when it is time to replace filter/dryer.

**Specifications:**

- Pipe Size (NPT): 1/4"
- Max Pressure: 125 psi
- Quantity: 2-pack
- Max. Flow Capacity: 15 CFM
- Max Temperature: 130°F

## PAINT SPRAY GUN FILTERS


**ATD-7814**

**Features:**

- Reduces paint defects
- Traps moisture, rust, scale and oil aerosols that pass through conventional filters
- (15) filters in a fishbowl

**Specifications:**

- 1/4" NPT fittings
- Max Flow @ 80 psi: 30 CFM
- Removal Rating: .01 Microns
- Maximum Pressure: 100 psi



## PAINT SPRAY GUN FILTERS

**ATD-7812**

**Kit includes:**

- Pack of (3) filters



## SPRAY GUN TRAPPER FILTERS

**ATD-6929**

**Kit includes:**

- Universal filters for spray paint guns
- 12 pack
- Diameter: .46" (11.6 mm)
- Overall Length: 1.592" (40.45 mm)
- Filter Length: .966" (24.54 mm)
- Shipping Weight: 0.1 lbs.



## MASTER SPRAY GUN CLEANING KIT

ATD-6848

**Kit Includes:**

- (1) Long-handled Angle Brush
- (1) Long-handled straight Fiber Brush
- (1) Medium sized Fiber Brush
- (1) Medium sized Wire Brush
- (5) Fine Fiber Brushes
- (2) Hobby Knife Holders
- (6) Fine Points
- (1) Plastic-handled Brush
- (3) Detail Brushes
- (1) Bottle of Cleaning Solution
- Shipping Weight: 1.0 lbs.



## SPRAY GUN CLEANING KIT

ATD-6618

**Features:**

- Kit contains (5) brushes and assorted picks which can be used to remove paint from spray guns and cups
- Also includes specially formulated lubricant for spray gun needles
- Shipping Weight: 0.3 lbs.

# HEAT GUNS

## DUAL TEMPERATURE HEAT GUN KIT

ATD-3736

**Features:**

- Great for stripping paint, removing decals and stripes, shrinking wire wrap, etc.
- (2) Heat settings: 700° F and 925° F
- Wattage: 1000W (low setting) 1500W (high setting)
- Three-position rocker switch: high/off/low
- UL & cUL listed

**Set Includes:**

- Dual temperature heat gun
- Reduction nozzle
- Large deflector nozzle
- Small deflector nozzle
- Reflector nozzle
- Molded plastic storage case



## DUAL TEMPERATURE HIGH OUTPUT HEAT GUN

ATD-3739

**Features:**

- Low and high heat settings with a temperature range from 158°F to 1,112°F
- Perfect for curing adhesives, removing decals/stripes, drying body fillers/paint, shrink tubing, etc.
- Durable die-cast metal housing
- Adjustable, removable stand for cool down or hands-free use

**Specifications:**

- Temperature Range: 158°F to 1,112°F
- Voltage: 120V
- cETLus approved
- CFM: 14 Low, 17 High
- Cord: 6 ft. length, 14AWG
- Wattage: 1,500



# MASKING MACHINES



## 2-IN-1 MASKING FILM DISPENSER

**ATD-6558**

**Features:**

- One person operation to quickly and smoothly cut film
- Fits standard film rolls (max width: 47.2" / max diameter: 11.8")
- Large diameter wheels for easy maneuvering
- Powder coated finish for corrosion resistance
- Assembled size: 50" x 23.6" x 28.3"
- Designed for masking film rolls with core



## MASKING FILM DISPENSER

**ATD-6559**

**Features:**

- Holds box firmly as you pull sheeting
- Keep sheeting clean and dry
- 8" rubber wheels allow easy movement in work area
- Stands upright for convenient storage
- Fits box lengths from 14" - 55", and 6.7" x 6.7" square



## 36" MASKER

**ATD-6567**

**Features:**

- Handy, portable and lightweight 1" tubular steel design
- Holds rolls of masking paper up to 36" wide
- Wall mounting kit included



## 18" MASKING MACHINE

**ATD-6561**

**Features:**

- Heavy-duty steel construction
- Includes bars for (2) paper rolls and (4) tape rolls
- Large bottom storage tray
- Side tray for holding supplies
- 8" wheels for easy maneuvering
- Shipping Weight: 29 lbs.



## 18" MASKER

**ATD-6565**

**Features:**

- Handy, portable and lightweight 1" tubular steel design
- Holds rolls of masking paper up to 18" wide
- Wall mounting kit included

## TREE-STYLE MASKING MACHINE

**ATD-6563**

**Kit includes:**

- Heavy-duty steel construction
- Holds (4) rolls of tape
- 6" tires for easy maneuvering
- Shipping Weight: 28 lbs.
- Holds (4) rolls of masking paper: (2) 12" rolls and (2) 18" rolls
- Never needs adjusting, always keeps tape and paper aligned





## HAND RIVET NUT SETTING KIT

**ATD-5845**

**Features:**

- Perfect for many automotive, electronic or industrial applications
- Use wherever load bearing threads are required in thin materials
- Quick, reliable and low cost method of adding threads without surface damage
- Tool-less quick-change design allows for quick and easy mandrel and nose piece changes

**Set Includes:**

- 12" Heavy-Duty Nut/Thread Rivet Tool with double compound hinges for maximum leverage and smooth operation
- (1 each) Metric Mandrel/Nosepiece in M5, M6 and M8
- (1 each) SAE Mandrel/Nosepiece in 10-24, 1/4"-20 and 5/16"-18
- (10 each) of the following Rivet Nuts in M5, M6, M8, 10-24, 1/4"-20 and 5/16"-18
- Wrench



## PNEUMATIC RIVET NUT SETTING KIT

**ATD-5855**

**Features:**

- Includes (8) mandrels/ nose pieces in the following sizes: M4, M5, M6, M8, M10, 1/4", 5/16", 3/8"
- Instantly set rivet nuts with the pull of the trigger
- Quickly un-thread set rivet nuts by operating free spinning rear wheel
- 2,680 lbs. of instant air-hydraulic pulling force

**Specifications:**

- Tool Stroke: 6.5mm
- Air Consumption: 3 CFM
- Air Inlet: 1/4" NPT
- Max Capacity: M10 (3/8") steel and aluminum rivet nuts, M6 (1/4") stainless rivet nut



# AIR RIVETERS

## 3/16" HYDRAULIC AIR RIVET GUN

**ATD-5850**

**Features:**

- Quality construction for reliable and quiet operation
- Performs well at any angle
- Can also be used with 3/32", 1/8" and 5/32" steel rivets
- For use with 3/32", 1/8", 5/32" and 3/16" aluminum rivets
- Quick release air valve for fast cylinder return
- Lightweight, comfortable handle prevents user fatigue
- Includes (4) nose pieces: 3/32", 1/8", 5/32" and 3/16"

**Specifications:**

- Air Inlet: 1/4" NPT
- Average Air Consumption: 4 CFM
- Rivet Capacity: 3/16"
- Air Hose Size: 3/8" ID
- Required Air Pressure: 90-120 psi
- Pulling Force: 1,874 lbs.
- Overall Length: 10-5/8"



## 1/4" HYDRAULIC AIR RIVET GUN

**ATD-5851**

**Features:**

- Powerful and reliable high speed production tool
- Performs well at any angle
- Small size and light weight allow use in hard-to-reach areas without user fatigue
- Can be used with 1/8", 5/32" 3/16" 1/4" aluminum and steel rivets
- Nosepieces conveniently store underneath rubber base
- Quick release air valve for fast cylinder return
- Includes (4) nosepieces: 1/8", 5/32", 3/16" and 1/4"

**Specifications:**

- Air Inlet: 1/4" NPT
- Air Hose ID Size: 3/8"
- Average Air Consumption: 4 CFM
- Required Air Pressure: 90-120 psi
- Rivet Capacity: 1/4"
- Pulling Force: 2,646 lbs.
- Overall Length: 10-7/8"
- Shipping weight: 4.5 lbs.



# HAND RIVETERS

## 1/4" HEAVY-DUTY HAND RIVETER

**ATD-5842**

**Kit includes:**

- Extra long handles provide excellent leverage
- 2-1/4" nose
- Includes (5) nosepieces to set 1/8", 5/32", 3/16", 7/32" and 1/4" steel and aluminum rivets
- Heavy-duty metal construction
- Overall Length: 20-3/4"
- Shipping Weight: 4.8 lbs.



## 13" HEAVY-DUTY HAND RIVETER

**ATD-5835**

**Kit includes:**

- Ideal for tough rivet jobs in hard-to-reach areas
- Shortest long-arm riveter capable of installing 1/4" stainless steel rivets
- Double compound hinges maximize leverage
- Chrome Moly steel 3-piece jaws for long life
- Includes (5) nosepieces
- Core collection bottle for safety and easy waste disposal



# RIVETER ASSORTMENTS

## 115-PC. RIVET NUT ASSORTMENT

**ATD-334**

**Specifications:**

- Zinc Plated Steel Rivets

**Set Includes:**

- (20) M4 Rivet Nuts
- (20) M5 Rivet Nuts
- (10) M6 Rivet Nuts
- (10) M8 Rivet Nuts
- (10) M10 Rivet Nuts
- (20) 1/4" Rivet Nuts
- (15) 5/16" Rivet Nuts
- (10) 3/8" Rivet Nuts



## 150-PC. RIVET NUT ASSORTMENT

**ATD-337**

**Specifications:**

- Galvanized Steel Rivets

**Set Includes:**

- (30) M5x13mm Rivet Nuts
- (25) M6x15mm Rivet Nuts
- (20) M8x18mm Rivet Nuts
- (30) 10-24 Rivet Nuts
- (25) 1/4"-20 Rivet Nuts
- (20) 5/16"-18 Rivet Nuts



## 300-PC. 1/4" ALUMINUM BLIND RIVET ASSORTMENT

**ATD-341**

**Features:**

- Dome head rivets can be installed without access to the back side of the item being riveted
- High quality aluminum material provides strength and durability
- Use with ATD or other manual or air operated rivet guns

**Set Includes:**

- (100) 1/4" x 1/4"
- (100) 1/4" x 3/8"
- (100) 1/4" x 1/2"



## 500-PC. ALUMINUM BLIND RIVET ASSORTMENT

**ATD-346**

**Features:**

- Dome head rivets can be installed without access to the back side of the item being riveted
- High quality aluminum rivet with steel mandrel provides strength and durability
- Use with ATD or other manual or air operated rivet guns

**Set Includes:**

- (120) 1/8" x 1/4"
- (120) 1/8" x 3/8"
- (70) 3/16" x 3/8"
- (120) 1/8" x 5/16"
- (70) 3/16" x 5/16"



# WORK STANDS

## MOBILE PANEL STORAGE RACK

**ATD-6579**

**Features:**

- For safely storing windshields, hoods, doors, sheet metal, etc.
- Holds up to (5) large panels or glass
- Powder-coated steel construction
- Overall size: 47" L x 28" W x 25" H
- (12) 25" Expanded polyethylene (EPE) foam-covered support bars
- (4) 4" polyurethane casters (2 swivel, 2 w/ brake)
- Capacity: 330 lbs.





## ROTATING PAINT PANEL STAND

ATD-6570

**Features:**


- Universal stand handles fenders, doors, hoods, bumpers
- (8) adjustable bars hold panels securely
- Portable for fast movement from prep to spray booth
- Round handle allows 350° rotation in 16° increments
- 200 lbs. capacity
- Shipping Weight: 55.12 lbs.
- Shipping Dimensions: 9.8" x 10.2" x 48.8"

## WALL-MOUNTED BUMPER STAND

ATD-6578

**Features:**

- Holds up to (4) bumper covers
- Powder-coated steel construction
- Size: 59" H x 39" W x 20" D



## HEAVY-DUTY FOLDING BUMPER STAND

ATD-6571

**Features:**

- Adjustable stand with extendable support arms holds different bumper types and styles
- Ideal for storage of bumpers prior to preparation and spraying
- Lightweight design with 300 lbs. capacity
- Height range: 41.75" to 48.5"
- Shipping weight: 19.8 lbs



## 3-SHELF PARTS CART


ATD-6569

**Features:**

- (3) adjustable shelves and support arms provide mobile parts storage
- (6) S-hooks
- (4) 4" polyurethane casters (2 locking)

**Specifications:**

- Dimensions: 74.8" x 41.7" x 30.7" • Weight: 69.5 lbs.
- Weight capacity per shelf: Bottom and middle shelf: 99 lbs. • Top Shelf: 66 lbs.



## ADJUSTABLE PAINT HANGER

ATD-6575

**Features:**

- Ideal for painting fenders, doors, tailgates, and hoods
- Durable powder-coated steel tubing
- (6) hooks hold parts for painting or drying
- (4) 4" polyurethane swivel casters, (2) locking

**Specifications:**

- Total Capacity: 220 lbs.
- Overall Width: 70" x 19.5"
- Height adjusts from 50"-80"

## ADJUSTABLE BUMPER STAND

ATD-6572

**Features:**

- Holds any plastic bumper cover without touching the painted surface
- Cover can be rotated 90° to ensure proper paint coverage
- (5) Locking positions
- Protective rubber boots keep critical areas free of overspray
- (4) Industrial grade casters with (2) locking for zero movement
- Dimensions: 44"W x 30"D x 53"H
- Shipping Weight: 33.07 lbs.



## 500 LBS. CAPACITY WORK STAND

ATD-7811

**Features:**


- 500 lbs. capacity
- Lightweight construction
- Steel tubing with 1/2" foam padding wrapped around and down the top of the frame
- Adjustable working height - 22.8" - 37"
- Leg tube length: 30.7"
- Bent tube length: 40.35"
- Steel tubing diameter: 1.10"
- Steel tubing thickness: .05"
- Shipping Weight: 15.2 lbs.

## 1,000 LBS. CAPACITY WORK STAND

ATD-7800

**Features:**

- 1,000 lbs. capacity
- Lightweight construction
- Steel tubing with 1/2" foam padding wrapped around and down the top of the frame
- Adjustable working height - 22.8" - 37"
- Leg tube length: 30.7"
- Bent tube length: 40.35"
- Steel tubing diameter: 1.25"
- Steel tubing thickness: .08"
- Shipping Weight: 23.8 lbs.



\*Work stand shown is not included

## WORK STAND BUMPER ADAPTER

ATD-6573

**Features:**

- Holds plastic bumpers during prep or spraying
- Universal attachment fits most portable work stands
- Adjusts to different work heights
- Rubber padded support tubes

## MUSCLE MAX 10 LBS. HEAVY-DUTY DENT PULLER SET

**ATD-5160**

**Set Contains:**

- (1) 10 lbs. slide hammer
- (1) 2-hole pipe
- (1) Chain and hook
- (1) Molded storage case
- 26.75" long
- (2) Pipes
- (1) Hex nut
- (5) Plates
- 7/8" x 14 thread pitch for accessories
- Shipping Weight: 25.3 lbs.




## SLIDE HAMMER PULLER SET

**ATD-3045**

**Features:**

- Eases removal of flange-type axles, oil seals, bearings and other press fit parts
- Jaws can be set up for 2- or 3-jaw internal or external pulling jobs
- 5 lbs. heavy-duty slide hammer
- 8-function internal or external 3-jaw puller - Range: 1-1/4" to 3-1/8"
- Internal or external 2-jaw puller - Range: 1-1/4" to 3-1/8"
- Puller hook, rear axle puller
- 5/8" - 18 threaded end
- Molded storage case included
- Special grip wrench adapter
- Dent puller
- Shipping Weight: 16.5 lbs.



## HEAVY-DUTY DENT PULLER

**ATD-7541**

**Set Contains:**

- Heavy-duty dent puller/slide hammer with vinyl cushion finger grip handle
- Puller comes with extra screw and hook for pulling bearings and seals
- Shaft 1/2" x 20 thread
- 1.75 lbs. slide hammer
- Shipping Weight: 3.3 lbs.



## 4-TON HYDRAULIC BODY REPAIR KIT

ATD-5800A

**Features:**

- Designed for pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies
- Auto bleeding pump with pressure gauge
- Heavy-duty case allows for easy storage and transport for use in shop or on the road
- Meets or exceeds ASME PASE 2019 standards

**Specifications:**

- Ram Capacity: 4 Tons
- Ram - Extended Height: 15.2"
- Ram Effective Area: 1.1 sq. in.
- Pump Capacity: 8,000 psi
- Ram - Closed Height: 10.5"
- Shipping Weight: 44 lbs.



## 10-TON HYDRAULIC BODY REPAIR KIT

ATD-5810A

**Features:**

- Designed for pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies
- Double speed and auto bleeding pump with pressure gauge
- Heavy-duty case allows for easy storage and transport for use in shop or on the road
- Meets or exceeds ASME PASE 2019 standards

**Specifications:**

- Ram Capacity: 10 Tons
- Ram - Extended Height: 7.8"
- Ram Effective Area: 2.46 sq. in.
- Pump Capacity: 10,000 psi
- Ram - Closed Height: 12.7"
- Shipping Weight: 70.5 lbs.



## 10-TON MINI HYDRAULIC RAM

ATD-5801

**Features:**

- Perfect for lifting, pushing, alignment, etc.
- Ideal for tight areas with little clearance
- All steel construction for maximum strength and durability
- (3) extensions can be used individually or together
- For use with ATD or most other manufacturers body repair kits

**Specifications:**

- Capacity (Ton): 10
- Maximum cylinder height: 5"
- Ram stroke: 1.5"
- Cylinder effective area: 2.35 sq.in.
- Minimum cylinder height: 3.5"

## 5-TON PULL RAM WITH HOOKS

ATD-5802A

**Features:**

- Can be used in vertical or horizontal positions to pull, bend or straighten metal

**Specifications:**

- Capacity (Ton): 5
- Stroke: 5.12"
- Effective Area: 1.14 sq. in.
- Oil Capacity: 96 ml
- Extended Length: 32.48"
- Operating Pressure: 8,770 psi
- Shipping Weight: 12.6 lbs.
- Outside Diameter: 1.77"
- Collapsed Length: 27.36"



## 10,000 PSI HYDRAULIC FOOT PUMP

ATD-5812A

**Features:**

- Perfect power source for many body, frame and alignment applications
- High strength aluminum reservoir is lightweight and corrosion resistant
- Pressure relief valve protects hydraulic components
- Simple foot pedal controls cylinder advance, hold or retract operation
- Greater oil capacity to handle bigger jobs
- Maximum working pressure: 10,000 psi

**Specifications:**

- Usable Oil Capacity: 98 cu. in.
- Air Pressure Rating: 90-145 psi
- Pressure Rating: 10,000 psi
- Output Flow Rate - @ Load: 7.6 cu. in./min.
- Output Flow Rate - No Load: 49.5 cu. in./min.
- Air Input Port - 1/4"-18 NPTF
- Oil Output Port - 3/8"-18 NPTF
- Shipping Weight: 18 lbs.



## 7-PC. HEAVY-DUTY BODY & FENDER TOOL SET

**ATD-4030**

**Features:**

- Fiberglass hammer handles for long service life
- (3) Body hammers with excellent balance and feel
- (4) Dollies for most common shapes and profiles

**Set Contains:**

- Pick Hammer
- Bumping Hammer
- Spoon Dolly
- Combination Dolly
- Body Hammer
- Universal Dolly
- Heel Dolly
- Molded Storage/Carrying Case



## 27-PC. TRIM PANEL REMOVAL & SCRAPER TOOL SET

**ATD-85827**

**Features:**

- Designed for safe removal of door panels, fascia and trim strips, window moldings, dashboard and interior panels & trim, etc.
- Made of impact resistant plastic that will not mar surfaces like metal tools
- Slim design for delicate work in tight areas
- Custom canvas storage pouch keeps tool organized

**Set Contains:**

- (1) Wide Scraper Tool
- (1) General Scraper Tool
- (1) Flat Scraper Tool
- (1) General Purpose Wide Edge Tool
- (1) Thin & Flat Tool
- (1) General Purpose Wedge Tool
- (1) General Purpose Pry Tool
- (1) Thin with Pry Tip Tool
- (1) Pry Tool
- (1) Concentrated Scraper Tool
- (1) Curved Scraper Tool
- (1) Tube Scraper Tool
- (1) Angle Scraper Tool
- (1) Emblem Remover
- (1) Rounded Corner Scraper Tool
- (1) Box Corner Scraper Tool
- (1) Sharp Corner Scraper Tool
- (1) Angled Push/Pull Scraper
- (1) Flat Push/Pull Scraper
- (1) Panel Clip Removal Tool
- (1) Large Grommet Pry Tool
- (1) Small Grommet Pry Tool
- (1) Flat Grommet Remover
- (1) Flat Grommet Pry Tool
- (1) Flat Sealant Application Spade
- (1) Interior Button Removal Tool
- (1) Wire Insertion Tool



## 11-PC. TRIM REMOVAL TOOL SET

**ATD-8584**

**Features:**

- Designed for removal of door panels, fascia & trim strips, dashboard & interior panels & trim, window moldings etc.
- Made of impact resistant plastic that will not mar surfaces like metal tools can
- Slim design for delicate work in tight areas

**Set Contains:**

- ATD-85841 - Wide-type Remover
- ATD-85842 - Pull-type Remover
- ATD-85843 - Handy Remover
- ATD-85844 - Narrow-type Remover
- ATD-85845 - Upholstery Clip Remover
- ATD-85848 - Clip Panel Remover
- ATD-85846 - Angled Clip Panel Remover
- ATD-85847 - Fork Tip Flat Clip Panel Remover
- ATD-85849 - Sharp Tip Flat Clip Panel Remover
- ATD-85850 - Panel Remover
- ATD-85851 - Blunt Tip Flat Clip Panel Remover



## BODY CLIP PLIERS

**ATD-8579**

**Features:**


- These specially designed & patented pliers will remove any clip found on trim, bumpers, etc.
- Steel levers enclosed in plastic handles, prevent scratches & nicks in paint
- Tips have special angle & size that make them the most versatile tool in the clip removal category
- No need to buy (3) pliers for different applications
- A must for body technicians



## SURFACE CONDITIONING DISCS

### Features:

- Quick Change Surface Conditioning Scrim Black (SCSB) discs with R fastening system
- Recommended for use in applications requiring considerable mechanical strength
- Extremely quick to change
- Fast and heavy abrasive action with high unloading properties
- Compact design fits into hard-to-reach areas
- Type III fastener features a roll-on/roll-off style (equivalent to the 3M® Roloc® fastening style)
- Recommended Applications: plastic products, machinery for the chemical and food industries, stainless steel furniture, automotive, aircraft, and aerospace industries, and stainless steel metal fabricators
- Work Surfaces: Steel, stainless steel, aluminum, titanium and alloys, fiberglass, plastic and glass
- For use with ATD-6601 2" disc holder
- Max rpm: 25,000



### Also Available:

- ATD-3150 - 2" Coarse Grit Disc (100 Pack)
- ATD-3151 - 2" Coarse Grit Disc (25 pack)
- ATD-3152 - 2" Medium Grit Disc (25 pack)
- ATD-3153 - 3" Coarse Grit Disc (25 pack)
- ATD-3154 - 3" Medium Grit Disc (25 pack)
- ATD-3155 - 2" Fine Grit Disc (25 pack)
- ATD-3156 - 2" Extra-Fine Grit Disc (25 pack)
- ATD-3157 - 3" Fine Grit Disc (25 pack)
- ATD-3158 - 3" Extra-Fine Grit Disc (25 pack)



## TYPE III DISC HOLDERS

### Features:

- Medium-density, rubber backup pad is ideal for contour work, feathering and edging into corners
- Type III fastener features a roll-on/roll-off style
- 1/4" x 20 Threads, 2" Rolock Holder
- Shipping Weight: 0.3 lbs.

### Also Available:

- ATD-6601 - 2" Type III Disc Holder
- ATD-6602 - 3" Type III Disc Holder

## ALUMINUM OXIDE GRINDING DISCS

### Features:

- For general metal & woodworking
- Perfect for light welds & blending surfaces
- Great for sanding & breaking edge applications
- For use with ATD-6601 2" disc holder and ATD-6602 3" disc holder



### Also Available:

- ATD-87224 - 2" Aluminum Oxide 24 Grit Grinding Disc (25 Pack)
- ATD-87236 - 2" Aluminum Oxide 36 Grit Grinding Disc (25 Pack)
- ATD-87250 - 2" Aluminum Oxide 50 Grit Grinding Disc (25 Pack)
- ATD-87324 - 3" Aluminum Oxide 24 Grit Grinding Disc (25 Pack)
- ATD-87336 - 3" Aluminum Oxide 36 Grit Grinding Disc (25 Pack)
- ATD-87350 - 3" Aluminum Oxide 50 Grit Grinding Disc (25 Pack)

## ZIRCONIA GRINDING DISCS

### Features:

- Longer lasting than aluminum oxide
- Self-sharpening with use
- Excellent for pre-paint surface preparation
- For use with ATD-6601 2" disc holder and ATD-6602 3" disc holder



### Also Available:

- ATD-88236 - 2" Zirconia 36 Grit Grinding Disc (25 Pack)
- ATD-88250 - 2" Zirconia 50 Grit Grinding Disc (25 Pack)
- ATD-88336 - 3" Zirconia 36 Grit Grinding Disc (25 Pack)
- ATD-88350 - 3" Zirconia 50 Grit Grinding Disc (25 Pack)

## GREEN ZIRCONIA GRINDING DISCS

### Features:

- Hardest grain for high temp alloys, stainless steel & titanium
- Perfect for sanding, grinding & breaking edge applications
- Self-sharpening grain improves life
- Disperses heat better than other grains
- For use with ATD-6601 2" disc holder and ATD-6602 3" disc holder



### Also Available:

- ATD-89224 - 2" Green Zirconia 24 Grit Grinding Disc (25 Pack)
- ATD-89236 - 2" Green Zirconia 36 Grit Grinding Disc (25 Pack)
- ATD-89250 - 2" Green Zirconia 50 Grit Grinding Disc (25 Pack)
- ATD-89324 - 3" Green Zirconia 24 Grit Grinding Disc (25 Pack)
- ATD-89336 - 3" Green Zirconia 36 Grit Grinding Disc (25 Pack)
- ATD-89350 - 3" Green Zirconia 50 Grit Grinding Disc (25 Pack)



## HAND FILES & SANDERS

### DUAL PISTON STRAIGHT LINE SANDER

ATD-2181

**Features:**

- Perfect for feathering body filler on large flat areas
- Two-handle design for comfortable operation
- Dual piston design provides efficient power and prevents stalling

**Specifications:**

- Strokes per Minute: 2,500
- Inlet: 1/4" NPT(f)
- Weight: 5.29 lbs.
- Pad Size: 2.5" x 15.5"
- Length: 15.5"
- Avg. Air Consumption: 6 CFM



### RANDOM ORBITAL PALM SANDER

ATD-2088

**Features:**

- Low profile design with ergonomic cushion grip
- Variable air speed control
- Random orbital action assures a swirl-free finish
- 3/16" orbit for rapid material removal
- Application: Paint prep and finishing
- Sanding Pad: 6" diameter PSA-style

**Specifications:**

- Working Pressure: 90 psi
- Free Speed: 10,000 rpm
- Air Inlet Thread: 1/4" NPT
- Hose Size: 3/8"
- Height: 4.5"
- Shipping Weight: 2.8 lbs
- Net Tool Weight: 2.2 lbs.
- Average Air Consumption: 2.8 CFM
- Maximum Air Consumption (continuous run with load): 5.1 CFM
- Minimum Air Compressor Hp Needed: 2 Hp +

**Includes:**

- Oil, 6" vinyl face pad, wrench, orbital sander and 1/4" male nipple



### 6" QUIET DUAL ACTION SANDER

ATD-2182A

**Features:**

- Rotary & orbital motion for rapid material removal as well as fine finishing
- Excellent for blending and smoothing filler, feather edging and pre-paint preparation

**Specifications:**

- Free Speed: 10,000 rpm
- Air Inlet: 1/4" NPT(F)
- Pad Size: 6"
- Length: 8.4"
- Average Air Consumption: 3.3 SCFM
- Weight: 4.08 lbs.

### 3-PHASE SIDE DOWN DRAFT PAINT SPRAY BOOTH

ATDPB26DD3P

ATDPB26DD3P (3 PHASE)

ATDPB26DD1P (1 PHASE)

**Features:**

- Commercial grade hip panel design with control panel
- High quality intake and exhaust filters
- Tri-fold and personnel doors with viewing windows
- Powder coated finish (inside and outside)
- (10) High quality UL listed lighting fixtures (light bulbs included)
- 5/16" nut and bolt installation
- (2) 8 ft. exhaust chimney stack assemblies
- Precision punched 18 Ga. panel construction
- (2) Dayton tube-axial fan - 2 Hp, 3PH
- Canopy plenum kit (optional)

**Specifications:**

- Inside Dimensions: 26' L x 14' W x 9'-3" H
- Outside Dimensions: 26'-4" L x 17'-8" W x 9'-5" H
- CFM: 14,000 @ .5 Static Pressure
- Fan/Motor: (2) 24" Tube-Axial Fan; 2 Hp, 3PH, 230/460V AC, 60 Hz; Non-Spark, NEMA Rated
- Lighting: (10) T-8 Light Fixtures, (4) Bulbs
- Canopy plenum kit (optional)
- 9 ft. exhaust duct kit (optional)

**Available Accessories:**

- ATDPBC26DD - Optional Canopy
- ATDPB25DK - Optional 25" Exhaust Duct (X2)



## PAINT SPRAY BOOTHS

## 3-PHASE CROSS FLOW DRAFT PAINT SPRAY BOOTH

### ATDPB23CF3P

ATDPB23CF3P (3 PHASE)


ATDPB23CF1P (1 PHASE)

**Features:**

- Tilt panel design for optimal lighting coverage
- High quality UL listed lighting fixtures (light bulbs included)
- Personnel door with viewing window
- High quality intake and exhaust filters
- Powder coated finish (inside and outside)
- 5/16" bolt and nut installation
- Precision punched panels on 6 ft. centers
- All connection and mounting hardware
- Control panel
- Fan motor and door limit switches

**Specifications:**

- Inside Dimensions: 22'-6" L x 13' W x 8'-6" H
- Outside Dimensions: 25'-4" L x 13'-4" W x 8'-10" H
- Fan/Motor: 24" Tube-Axial Fan; 3 Hp, 3PH, 230/460V AC, 60 Hz; Non-Spark, NEMA Rated
- CFM: 9,500 @ .5 Static Pressure
- Lighting: (6) T-8 Light Fixtures, (4) Bulbs



## 3-PHASE SEMI-FIRED DOWN DRAFT PAINT SPRAY BOOTH

### ATDPB26SDD3P

ATDPB26SDD3P (3 PHASE)

ATDPB26SDD1P (1 PHASE)

**Features:**

- Commercial grade hip panel design with control panel
- High quality intake and exhaust filters
- Tri-fold and personnel doors with viewing windows
- Powder coated finish (inside and outside)
- (10) High quality UL listed lighting fixtures (light bulbs included)
- 5/16" nut and bolt installation
- Precision punched 18 Ga. panel construction
- Dayton tube-axial fan - 3 Hp, 3PH
- Precision punched 18 Ga. panel construction
- Canopy plenum kit (optional)
- 9 ft. exhaust duct kit (optional)

**Specifications:**

- Inside Dimensions: 26' L x 14' W x 9'-3" H
- Outside Dimensions: 26'-4" L x 14'-4" W x 9'-7" H
- Fan/Motor: 30" Tube-Axial Fan; 3 Hp, 3PH, 230/460V AC, 60 Hz; Non-Spark, NEMA Rated
- CFM: 12,200 @ .5 Static Pressure
- Lighting: (10) T-8 Light Fixtures, (4) Bulbs

**Available Accessories:**

- ATDPBC26DD - Optional Canopy
- ATDPB31DK - Optional 31" Exhaust Duct



## DIRECT-FIRED HEATING SYSTEM

### ATDPBH3P

ATDPBH3P (3 PHASE)


ATDPBH1P (1 PHASE)

**Features:**


- Variflow Technology
- Vertical/side discharge configuration
- White powder coat finish
- Exhaust VFD fused and wired
- Time display shows cycle time and elapsed time
- Interlock status indicator lights
- Easy-to-use controls with control panel messages
- Exhaust VFD fused and wired
- Single point connection
- ETL listed control panel
- Hour meter
- Truly variable air flow
- 30 ft. umbilical cord
- Includes vertical stand/filter box

**Specifications:**

- Fuel: NG or LP
- BTUH: 1.2M
- Gas Train: 1"
- CFM: 13,000
- Gas Pressure: 1,715 lbs.
- Intake Motor: 230V, 10 Hp, 3PH
- Exhaust VFD: 230V, 5 Hp, 3PH
- Ship Weight: 1,395 lbs
- Package Size: 98" L x 65" W x 54" H



ATDPBH3P Control Panel



**AIR RIVETERS**

1/4" Hydraulic Air Rivet Gun .....9  
 3/16" Hydraulic Air Rivet Gun .....9

**BODY TOOLS**

4-Ton Hydraulic Body Repair Kit..... 14  
 5-Ton Pull Ram with Hooks..... 14  
 7-Pc. Heavy-Duty Body & Fender Tool Set..... 15  
 10-Ton Hydraulic Body Repair Kit ..... 14  
 10-Ton Mini Hydraulic Ram ..... 14  
 10,000 PSI Hydraulic Foot Pump ..... 14

**DENT PULLERS**

Heavy-Duty Dent Puller ..... 13  
 Muscle Max 10 lbs. Heavy-Duty Dent Puller Set..... 13  
 Slide Hammer Puller Set ..... 13

**HAND FILES & SANDERS**

6" Quiet Dual Action Sander ..... 17  
 Dual Piston Straight Line Sander ..... 17  
 Random Orbital Palm Sander..... 17

**HAND RIVETERS**

1/4" Heavy-Duty Hand Riveter..... 10  
 13" Heavy-Duty Hand Riveter ..... 10

**HEAT GUNS**

Dual Temperature Heat Gun Kit .....7  
 Dual Temperature High Output Heat Gun .....7

**MASKING MACHINES**

2-In-1 Masking Film Dispenser .....8  
 18" Masker .....8  
 18" Masking Machine .....8  
 36" Masker .....8  
 Masking Film Dispenser .....8  
 Tree-Style Masking Machine .....8

**PAINT SPRAY BOOTHS**

3-Phase Cross Flow Draft Paint Spray Booth..... 18  
 3-Phase Semi-Fired Down Draft Paint Spray Booth..... 18  
 3-Phase Side Down Draft Paint Spray Booth ..... 17  
 Direct-Fired Heating System ..... 18

**PAINT SPRAY GUNS**

1.0 Liter Solvent Spray Bottle.....4  
 1-Quart Dripless Cup Assembly .....4  
 1.0MM Mini HVLP Touch-Up Spray Gun.....3  
 1.3MM HVLP Top Coat Spray Gun .....3  
 1.4MM HVLP Top Coat Spray Gun .....3  
 1.8MM HVLP Primer Spray Gun .....3  
 1.8MM Suction-Style Spray Gun .....4  
 9-Pc. HVLP Spray Gun Set .....3  
 Precision Air Brush Kit .....4

**RIVET NUT SETTING KITS**

Hand Rivet Nut Setting Kit.....9  
 Pneumatic Rivet Nut Setting Kit .....9

**RIVETER ASSORTMENTS**

115-Pc. Rivet Nut Assortment..... 10  
 150-Pc. Rivet Nut Assortment ..... 10  
 300-Pc. 1/4" Aluminum Blind Rivet Assortment..... 10  
 500-Pc. Aluminum Blind Rivet Assortment ..... 10

**SPRAY GUN ACCESSORIES**

.125 Liter Plastic Cup.....5  
 .6 Liter Aluminum Cup with Lid .....5  
 .6 Liter Plastic Cup .....5  
 1.0 Liter Aluminum Cup with Lid.....5  
 5-Gun Magnetic Paint Gun Holder .....5  
 5-Gun Paint Gun Holder .....5  
 Digital Pressure Regulator .....6  
 Gravity Feed Spray Gun Holder .....5  
 Locking Air Regulator .....6  
 Magnetic Paint Gun Holder .....5  
 Master Spray Gun Cleaning Kit .....7  
 Mini In-Line Disposable Desiccant Dryer .....6  
 Paint Spray Gun Filters .....6  
 Plastic Lids for .6L Aluminum Cups .....5  
 Spray Gun Cleaning Kit .....7  
 Spray Gun Trapper Filters .....6

**SURFACE PREP DISCS**

Aluminum Oxide Grinding Discs ..... 16  
 Green Zirconia Grinding Discs ..... 16  
 Surface Conditioning Discs ..... 16  
 Zirconia Grinding Discs ..... 16

**TRIM TOOLS**

11-Pc. Trim Removal Tool Set..... 15  
 27-Pc. Trim Panel Removal & Scraper Tool Set ..... 15  
 Body Clippers ..... 15

**WORK STANDS**

3-Shelf Parts Cart ..... 11  
 500 lbs. Capacity Work Stand..... 12  
 1,000 lbs. Capacity Work Stand ..... 12  
 Adjustable Bumper Stand..... 12  
 Adjustable Paint Hanger ..... 11  
 Heavy-Duty Folding Bumper Stand ..... 11  
 Mobile Panel Storage Rack ..... 10  
 Rotating Paint Panel Stand..... 11  
 Wall-Mounted Bumper Stand ..... 11  
 Work Stand Bumper Adapter ..... 12



## 9 PC. HVLP SPRAY GUN SET ATD-6900

### Features:

- Guns have stainless steel needle and nozzle sets
- Knob for spray pattern adjustment
- Operating pressures of 15-45 psi
- Air inlet: 1/4"
- Air consumption: 7.0 to 9.0 CFM
- Meets EPA NESHAP 6H rules for compliance
- Shipping Weight: 9.2 lbs.

### Set Contains:

- (1) 1.8mm Primer Spray Gun (ATD-6902)
- (1) 1.4mm Topcoat Spray Gun (ATD-6901)
- (1) 1.0mm Touch-up Spray Gun (ATD-6903)
- (2) 1L Aluminum Cups (ATD-6900-09, ATD-6900-08 Lid for cup)
- (1) 125cc Stainless Steel Cup (ATD-6900-21, ATD-6900-20 Lid for cup)
- (1) Locking Pressure Regulator (0-180 psi, 0-12 BAR)
- (1) Paint Gun Filter
- Cleaning Kit:
  - (1) Spanner Wrench, (1) Hex Wrench, (1) Brush, (2) Filters

**MORE PAINT SPRAY GUNS ON PAGES 3, 4** ➔

## 12" HAND RIVET NUT SETTING KIT ATD-5845

### Features:

- Perfect for many automotive, electronic or industrial applications
- Use wherever load bearing threads are required in thin materials
- Quick, reliable and low cost method of adding threads without surface damage
- Tool-less quick-change design allows for quick and easy mandrel and nose piece changes

### Set Includes:

- 12" Heavy-Duty Nut/Thread Rivet Tool with double compound hinges for maximum leverage and smooth operation
- (1 each) Metric Mandrel/Nosepiece in M5, M6 and M8
- (1 each) SAE Mandrel/Nosepiece in 10-24, 1/4"-20 and 5/16"-18
- (10 each) of the following Rivet Nuts in M5, M6, M8, 10-24, 1/4"-20 and 5/16"-18
- Wrench

**MORE RIVETERS ON PAGES 9-10** ➔




©2024 ATD Tools, Inc.  
160 Enterprise Drive • Wentzville, MO 63385

[www.atdtools.com](http://www.atdtools.com)



**ATD-20107**



6 63126 20107 4